


Standard price list 2022.1

valid from 01 June 2022

*in gardening and landscaping (regional
products - "Made in Saxony")*



We live sandstone - be part of it!

Table of contents

1.	Bosses, pillar stones and brick slips		Page 3
1.1.	Boss stones	Page 3
1.2.	Column stones	Page 3
1.3.	Straps	Page 3
2.	Covers		Page 3 + 4
2.1.	Wall coverings or base benches	Page 3
2.2.	Column covers	Page 3
	Allowances	Page 4
3.	Edge stones		Page 4
3.1.	Lawn edging stones	Page 4
4.	Floor panels		Page 4
4.1.	Floor panels	Page 4
	Allowances	Page 4
5.	Waste products		Page 5
5.1.	Fracture plates sawn on 2 sides	Page 5
5.2.	1-sided sawn edge panel break	Page 5
5.3.	Seizure stones	Page 5
5.4.	Packing warehouse	Page 5
5.5.	Milling waste and cuttings	Page 5
6.	Bricks		Page 6
6.1.	Bank and embankment stones	Page 6
6.2.	Bricks	Page 6
6.3.	Dry masonry bricks	Page 6
7.	Plasters		Page 7
7.1.	Mosaic paving	Page 7
7.2.	Small paving	Page 7
7.3.	Large paving	Page 7
7.4.	Hydraulic engineering paving	Page 7
8.	Gravel		Page 7
8.1.	Grain size 0 - 20	Page 7
8.2.	Grain size 0 - 68	Page 7
8.3.	Grain size 0 - 150	Page 7
8.4.	Grain size 20 - 68	Page 7
8.5.	Grain size 68 - 200	Page 7
	Closing information		Page 8

1. Bosses, pillar stones and brick slips

1.1. Boss stones (15 cm high)

Description of the	Embedment depth	Unit	COTTAER SANDSTEIN (without colour selection) €
regular, free lengths up to 40 cm	8 - 15 cm	m ²	139,00

1.2. Column stones (15 cm high)

Description of the	Embedment depth	Unit	COTTAER SANDSTEIN (without colour selection) €
19 cm long, 4 stones/layer, column cross-section 30x30 cm	15 cm high/ 13/10 cm deep	Piece	12,50
29 cm long, 4 stones/layer, column cross-section 40x40 cm	15 cm high/ 13/10 cm deep	Piece	16,00

1.3. Straps (5 cm high)

Description of the	Embedment depth	Unit	COTTAER SANDSTEIN (without colour selection) €
15 or 20 cm long	approx. 2 cm	m ²	115,00

2. Covers

2.1. Wall coverings or base boards (5 cm thick)

(minimum billing size 0.5 m / piece)

Description of the	Width	Unit	COTTAER SANDSTEIN (without colour selection) €
without roofing, thickness levelled, upper bearing and 2 long sides sanded, up to max. 150 cm single length	30 cm	m	55,00
	35 cm	m	60,00
	40 cm	m	65,00

2.2. Column covers (5 cm thick)

Description of the	LengthxWidth	Unit	COTTAER SANDSTEIN (without colour selection) €
without roofing, thickness equalised, top bearing and sides sanded, without water groove	40 x 40 cm	Piece	40,00
	50 x 50 cm	Piece	50,00

Bosses, column stones and slips as well as covers/sole benches are made of COTTAER SANDSTONE (without colour selection) and are produced from stock. Other dimensions and materials with or without special colour requirements are possible at an extra charge, if technically feasible. These are then produced separately to order at the customer's request. The prices are free ex works, plus statutory VAT. The General Terms and Conditions of Sächsische Sandsteinwerke GmbH apply (as of July 2013).

Allowances for points 2.1. and 2.2.

(minimum billing size 0.5 m / piece)

Description of the		Unit	Allowance €
Allowances for processing types in 5 cm thickness	Viewing head ground	Piece	6,50
	Straight through Water groove	m	11,00
	Circumferential water nose	m	17,00
	bruised (embossed) visible edge	m	14,00
	sharpened visible edge	m	21,00

3. Edge stones

3.1. Lawn edging stones

(minimum billing size 0.5 m / piece)

Description of the	Width	Unit	COTTAER SANDSTEIN (without colour selection) €
Sawn on 5-6 sides, lower bearing also as break edge, height up to 20 cm	4 or 5 cm	m	22,00

Lawn edging stones are made of COTTAER SANDSTONE (no choice of colour) and are produced to stock. Other dimensions and materials with or without special colour requirements are possible - if technically feasible - at an extra charge. These are then produced separately to order at the customer's request. The prices are free ex works, plus statutory VAT. The General Terms and Conditions of Sächsische Sandsteinwerke GmbH apply (as of July 2013).

4. Floor panels

4.1. Floor panels

(minimum billing size 0.20 m² / piece)

Description of the	Strength	Unit	COTTA SANDSTON E without colour selection €	REINHARDTSDORF SANDSTONE without colour selection €	POSTA SANDSTON E without colour selection €
			€	€	€
Standard/stock sawn on all sides	4 cm	m ²			99,50
Dimensioned - sawn on all sides, edge length up to 80 cm on request	4 cm	m ²	69,60	78,40	103,20
	5 cm	m ²	79,50	91,50	119,50

Allowances for point 4.1.

(minimum billing size 0.20 m² / piece)

Description of the		Unit	Allowance €
Allowances for surface treatment types	ground	m ²	35,00
	bush-hammered	m ²	57,00

Floor slabs are made of POSTAER SANDSTONE (no choice of colour) and are produced from stock. Other dimensions and materials with or without special colour requirements are possible - if technically feasible - at an extra charge. These are then produced separately to order at the customer's request. The prices are free ex works, plus statutory VAT. The General Terms and Conditions of Sächsische Sandsteinwerke GmbH apply (as of July 2013).

5. Waste products

5.1. 2-sided sawn break boards (subject to availability or while stocks last)

Description of the	Strength	Unit	COTTA SANDSTON E without colour selection €	REINHARDTSDORF SANDSTONE without colour selection €	POSTA SANDSTON E without colour selection €
Surface and underside sawn, edges broken and/or sawn	mixed 4-6 cm	m ²	35,00	40,00	45,00

5.2. 1-sided sawn edge panel break (subject to availability or while stocks last)

Description of the	Strength	Unit	COTTA SANDSTON E without colour selection €	REINHARDTSDORF SANDSTONE without colour selection €	POSTA SANDSTON E without colour selection €
Surface sawn, underside rough, edges broken, sawn also possible	up to 15 cm	m ²	24,00	29,00	34,00
	15 to 25 cm	m ²	60,00	70,00	85,00

5.3. Waste stones (loose, without packaging)

Description of the	Dimensions	Unit	COTTAER SANDSTEIN, REINHARDTSDORFER SANDSTEIN and POSTAER SANDSTEIN €
without additional processing, shapes and dimensions as required	Edge length generally > 60 cm	t	89,00
Allowance for customised finishing to specific dimensions and shapes		Std.	55,00

5.4. Packing warehouse (loose, without packaging)

Description of the	Dimensions	Unit	POSTA SANDSTONE €
Unsorted waste from extraction and processing	usually approx. 20-60 cm	t	43,00

5.5. Milling waste and cuttings (subject to availability or while stocks last)

Description of the	Dimensions	Unit	COTTAER SANDSTEIN, REINHARDTSDORFER SANDSTEIN and POSTAER SANDSTEIN €
Non-dimensioned milling waste with different machining	without		Price by arrangement

All waste products are collected according to availability, a colour selection is not possible here. There is no entitlement to these products. The prices are free ex works, plus statutory VAT. The General Terms and Conditions of Sächsische Sandsteinwerke GmbH apply (as of July 2013).

6. Bricks

6.1. Bank and embankment stones

Description of the	Dimensions	Unit	POSTA SANDSTONE
			€
Roughly split on all sides, dimensions +/- 5 cm,	"small" approx. 25x25x25 cm	t (1 tonne = approx. 2.5 m ²)	187,00
Machining marks (drill holes, chop holes, wedge holes) remain partially visible	"large" approx. 30-60x25x25cm	t (1 tonne = approx. 2.5 m ²)	162,00
Palletising allowance	approx. 1.0 t	Piece	25,50

6.2. Bricks

Description of the	Dimensions	Unit	POSTA SANDSTONE
			€
Classic - rough split, max. 2 sawing surfaces are permissible, +/- 3 cm	"small" approx.: 25-35x11x15cm	t (1t=approx. 4 m ²)	324,00 (also particularly suitable as a gabion view)
	"large" approx.: 30-50x20x20cm	t (1t=approx.2.7 m ²)	287,00
Select - machine-split front and back, 2 sawn bed joints, butt joints rough or split, +/- 3 cm	"large" approx.: 30-50x20x20cm	t (1t=approx.2.5 m ²)	344,00
Premium - machine-split, 4 sawn bed joints and butt joints	approx.: 40x20x20cm	Piece	15,00 (approx. 34 kg/piece = 30 pieces/pallet = approx. 2.3 m ² = approx. 1 tonne/pallet)
Premium* supplement, all visible edges bevelled	approx.: 40x20x20cm	Piece	5,50
Premium* supplement, split head	20 x 20 cm	Piece	6,00
Palletising allowance	approx. 1.0 t	Piece	25,50

6.3. Dry masonry bricks

Description of the	Dimensions	Unit	POSTA SANDSTONE
			€
rough split, max. 2 sawing surfaces are permissible	L30 +/- 10 cm W30 +/- 10 cm H12 +/- 5 cm	t (1t=approx. 2 m ²)	287,00
Palletising allowance	approx. 1.0 t	Piece	25,50

7. Plasters

Description of the		Dimensions	Unit	POSTA SANDSTONE €
7.1.	Mosaic paving (DIN EN 1342; Class I)	4/6 cm	t (1t=approx. 9 m ²)	443,00
7.2.	Small plasters (DIN EN 1342; Class I)	8/11 cm	t (1t=approx. 5.5 m ²)	319,00
7.3.	Large plasters (DIN EN 1342; Class I)	14/17 cm	t (1t=approx. 3 m ²)	281,00
7.4.	Hydraulic engineering paving * (DIN EN 1342; Class I)	20/25 cm	t (1t=approx. 2 m ²)	244,00
	Allowance for packaging Big Bag + pallet (only 7.1., 7.2., 7.3.)	approx. 0.9 t	Piece	28,00

* approved according to TLW (2003) and DIN 18 383, except for bulk density and compressive strength

Bricks and paving are generally made from POSTAER SANDSTEIN - without colour selection. The prices apply loose, without packaging, free loaded ex quarry or with packaging free loaded ex works (small mill); plus statutory VAT. The General Terms and Conditions of Sächsische Sandsteinwerke GmbH apply (as of July 2013).

8. Ballast

(minimum charge € 9.50)

Description of the		Dimensions	Unit	POSTA SANDSTONE €
8.1.	Grain size 0 - 20, with fines	usually up to 20 mm	t	15,00
8.2.	Grain size 0 - 68, with fines	generally up to 68 mm	t	30,00
8.3.	Grain size 0 - 150, with fines	usually up to 150 mm	t	25,00
8.4.	Grain size 20 - 68, predominantly without fines	usually approx. 20-68 mm	t	40,00
8.5.	Grain size 68 - 200, predominantly without fines	usually approx. 68- 200 mm	t	50,00 (particularly suitable for filling gabions)
	Allowance for			

Crushed stone is generally produced from POSTAER SANDSTEIN - without colour selection. The prices apply loose, without packaging, free loaded ex quarry or with packaging free loaded ex works (small mill); plus statutory VAT. The General Terms and Conditions of Sächsische Sandsteinwerke GmbH apply (as of July 2013).

Further information on the individual products can be found on our homepage at **WWW. SANDSTEINE .DE** or you can contact our sales staff directly:

Mrs Becher - Tel. no.: 03501/56 10 - 24 or beate.becher@sandsteine.de

Mr Göschick - Tel. no.: 03501/56 10 - 22 or andreas.goeschick@sandsteine.de Mr

Friedrich - Tel. no.: 03501/56 10 - 33 or jens.friedrich@sandsteine.de

Opening hours natural stone sales (Alt-Rottwerndorf 4, 01796 Pirna):

Monday - Thursday	from 8:00 to 16:30
Friday	from 8:00 to 14:00

Outside these regular opening hours, by prior arrangement.

Products that deviate from the products listed here can be manufactured according to special customer requirements in terms of material, dimensions, shapes and surface treatment. These workpieces are calculated separately on request. However, we ask for precise details.

All prices are subject to change without notice, apply free loaded ex delivery works or quarry and **do not include** the legally applicable VAT. Delivery is possible on request for an additional charge.

The terms and conditions of Sächsische Sandsteinwerke GmbH apply (as of July 2013).